






DECTOMAX[®]
(doramectin topical solution)

■■■■■■■■■■ **Pour-On**

Antiparasitic


*0.5% pour-on solution for cattle
5 mg/mL*

Treats 40 550-lb cattle

Net Contents: 1 liter

Approved by FDA under NADA # 141-095

zoetis



LOT
EXP

636298
01/2028



SYNOVEX Choice IMPLANTS FOR STEERS AND HEIFERS
FED IN CONFINEMENT FOR SLAUGHTER

SYNOVEX Choice

(trenbolone acetate and estradiol benzoate implants)

100 mg trenbolone acetate and 14 mg estradiol benzoate per implant

Approved by FDA under NADA # 141-043

Synovex Choice (trenbolone acetate and estradiol benzoate implants) is a growth promoting implant containing 100 mg of trenbolone acetate and 14 mg of estradiol benzoate. Each implant consists of 4 pellets. Ten implants are provided in each cartridge.

INDICATIONS FOR USE: For increased rate of weight gain in steers fed in confinement for slaughter, and for increased rate of weight gain and improved feed efficiency in heifers fed in confinement for slaughter.

Do not use in veal calves. Effectiveness and animal safety in heifers have not been established.

NOTE: Studies have demonstrated that the administration of Synovex Choice can result in increased marbling scores when compared to non-treated steers and heifers.

DOSEAGE: One to eight (four pellets, containing 100 mg of trenbolone acetate and 14 mg of estradiol benzoate) is administered to each steer or heifer by subcutaneous implantation in the middle one-third of the ear.

The cartridge of Synovex Choice is designed to be used exclusively with a Synovex applicator.

WITHDRAWAL PERIODS: No withdrawal periods are required when used according to label directions.

Synovex Choice has not been evaluated for use in calves. Do not use in calves.

Use only in ear only. Any other use is off-label. Do not use in calves. Do not use in calves.

NOT FOR USE IN HUMANS.
FOR ANIMAL USE ONLY.

DIRECTIONS: Implant complete contents of one cartridge cell per steer or heifer. Approved implantation technique is fully described in the fold-out carton section.

NOTE: Never sacrifice careful, clean technique for speed of implantation.

STORAGE: Store unopened product at controlled room temperature 20°-25°C (68°-77°F) with excursions between 15°-30°C (59°-86°F). Avoid excessive heat and humidity. Use product before the expiration date on the label.

Once the pouch is opened, unused product may be stored in the end-folded pouch (away from light) for up to six months under refrigerated conditions 2°-8°C (36°-47°F) or at room temperature 20°-25°C (68°-77°F) with excursions between 15°-30°C (59°-86°F) for up to one month.

DISPOSAL: SYNOVEX Choice waste material should be disposed of according to prescribed Federal, State, and Local guidelines.

Manufactured By A Non-Sterile Process
Keep this and all drugs out of the reach of children.
Restricted Drug (California) - Use Only As Directed
See top of pouch for lot and expiration date.

zoetis

Distributed by:
Zoetis Inc.
Kalamazoo, MI 49007

